

## 測試報告 Test Report

號碼(No.) : CE/2014/30622 日期(Date) : 2014/03/14 頁數(Page) : 1 of 22

億光電子工業股份有限公司  
EVERLIGHT ELECTRONICS CO., LTD.  
新北市樹林區中華路6-8號  
NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN



以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

BASIC INFORMATION	
Type of Product	PHOTO COUPLER SERIES
Supplier Company Name	EVERLIGHT
Address	NO.6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN
Tel/Fax/Email	TEL:886-2685-6688 EXT:6619
	FAX:886-2685-6898
	E-MAIL: meelin@everlight.com
Contact Person	LIN HSIAO HUA
EVERLIGHT REPORT NO	EVERLIGHT-PHOTO COUPLER DIP SERIES : EL81x-G, EL82x-G, 4Nxx-G, CNY17-x-G, CNY17F-x-G, H11x-G, EL30xx-G, 6Nxxx-G, TIL1xx-G, MCT2x-G SERIES, Sampling Product : EL 816M -SGS-14/03/2014
PRODUCT INFORMATION	
Product/component Sample description	ISOLATION UNIT
Quantity (numbers or weight)	0.24 g
EVERLIGHT P/N	PHOTO COUPLER DIP SERIES : EL81x-G, EL82x-G, 4Nxx-G, CNY17-x-G, CNY17F-x-G, H11x-G, EL30xx-G, 6Nxxx-G, TIL1xx-G, MCT2x-G SERIES, Sampling Product : EL 816M
Product Lot No	000101585506-01-18-14
Country of Origin	CHINA
TEST INFORMATION	
Digital Photo(s) of sample(s) after being prepared	JPG EMBEDDED IN EACH REPORT
Sample preparation	CUTTING
Test Method	Cd , Pb , Hg , Cr(VI), PBB/PBDE - IEC 62321, Halogen-BS EN 14582
PQL and/or MDL	Cd , Pb , Hg: < 2 mg/kg; PBB/PBDE: < 5 mg/kg; Halogen: 50 mg/kg
Name of Analyzer	Cd , Pb , Hg, Cr(VI): Climbgreat Yang; PBB/PBDE: Roman Wong; Halogen: Rita Chen

送樣廠商(Sample Submitted By) : 億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.)  
 收件日期(Sample Receiving Date) : 2014/03/05  
 測試期間(Testing Period) : 2014/03/05 TO 2014/03/14

測試結果(Test Results) 請見下一頁 (Please refer to next pages).

**Troy Chang** Manager-Tech  
 Signed for and on behalf of  
**SGS TAIWAN LTD.**  
 Chemical Laboratory - Taipei

## 測試報告

## Test Report

號碼(No.) : CE/2014/30622 日期(Date) : 2014/03/14 頁數(Page) : 2 of 22

億光電子工業股份有限公司  
EVERLIGHT ELECTRONICS CO., LTD.  
新北市樹林區中華路6-8號  
NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN



**結論(Conclusion)** : 根據客戶所提供的樣品，其多環芳香烴的測試結果符合德國ZLS的ZEK 01.4-08及其相關修訂文件中的第1類PAHs要求 (Base upon the performed tests by submitted samples, the test results of PAHs comply with the PAHs requirement according to (Category 1) of ZEK 01.4-08 of German ZLS and its amendments.)

### 測試結果(Test Results)

測試部位(PART NAME)No.1 : 本體 (BODY)  
 測試部位(PART NAME)No.2 : 銀色金屬接腳鍍層 (PLATING LAYER OF SILVER COLORED METAL PIN)  
 測試部位(PART NAME)No.3 : 銀色金屬接腳底材 (BASE MATERIAL OF SILVER COLORED METAL PIN)  
 測試部位(PART NAME)No.4 : 銀色金屬接腳 (含鍍層) (SILVER COLORED METAL PIN (INCLUDING THE PLATING LAYER))

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result)		
				No.1	No.2	No.3
鎘 / Cadmium (Cd)	mg/kg	參考IEC 62321-5: 2013方法, 以感應耦合電漿原子發射光譜儀檢測. / With reference to IEC 62321-5: 2013 and performed by ICP-AES.	2	n.d.	---	n.d.
	mg/kg	酸洗脫鍍層, 參考IEC 62321-5: 2013方法, 以感應耦合電漿原子發射光譜儀檢測. / IEC 62321-5: 2013 application of modified digestion by surface etching and performed by ICP-AES.	2	---	n.d.	---

## 測試報告

## Test Report

號碼(No.) : CE/2014/30622 日期(Date) : 2014/03/14 頁數(Page) : 3 of 22

億光電子工業股份有限公司

EVERLIGHT ELECTRONICS CO., LTD.

新北市樹林區中華路6-8號

NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN



測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result)		
				No.1	No.2	No.3
鉛 / Lead (Pb)	mg/kg	參考IEC 62321-5: 2013方法, 以感應耦合電漿原子發射光譜儀檢測. / With reference to IEC 62321-5: 2013 and performed by ICP-AES.	2	n.d.	---	n.d.
	mg/kg	酸洗脫鍍層, 參考IEC 62321-5: 2013方法, 以感應耦合電漿原子發射光譜儀檢測. / IEC 62321-5: 2013 application of modified digestion by surface etching and performed by ICP-AES.	2	---	33	---
汞 / Mercury (Hg)	mg/kg	參考IEC 62321-4: 2013方法, 以感應耦合電漿原子發射光譜儀檢測. / With reference to IEC 62321-4: 2013 and performed by ICP-AES.	2	n.d.	---	n.d.
	mg/kg	酸洗脫鍍層, 參考IEC 62321-4: 2013方法, 以感應耦合電漿原子發射光譜儀檢測. / IEC 62321-4: 2013 application of modified digestion by surface etching and performed by ICP-AES.	2	---	n.d.	---
六價鉻 / Hexavalent Chromium Cr(VI)	mg/kg	參考IEC 62321: 2008方法, 以UV-VIS檢測. / With reference to IEC 62321: 2008 and performed by UV-VIS.	2	n.d.	---	---
	**	參考IEC 62321: 2008方法, 以沸水萃取法檢測. / With reference to IEC 62321: 2008 and performed by Boiling water extraction Method.#	#	---	Negative	Negative

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# 測試報告

# Test Report

號碼(No.) : CE/2014/30622 日期(Date) : 2014/03/14 頁數(Page) : 4 of 22

億光電子工業股份有限公司

EVERLIGHT ELECTRONICS CO., LTD.

新北市樹林區中華路6-8號

NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN



測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result)		
				No.1	No.2	No.3
銻 / Antimony (Sb)	mg/kg	參考US EPA 3052方法, 以感應耦 合電漿原子發射光譜儀檢測. / With reference to US EPA Method 3052. Analysis was performed by ICP-AES.	2	n.d.	---	---
全氟辛烷磺酸 / Perfluorooctane sulfonates (PFOS-Acid, Metal Salt, Amide)	mg/kg	參考US EPA 3550C: 2007方法, 以 液相層析/質譜儀檢測. / With reference to US EPA 3550C: 2007. Analysis was performed by LC/MS.	10	n.d.	---	---
全氟辛酸 / PFOA (CAS No.: 335-67-1)	mg/kg	參考US EPA 3550C: 2007方法, 以 液相層析/質譜儀檢測. / With reference to US EPA 3550C: 2007. Analysis was performed by LC/MS.	10	n.d.	---	---
六溴環十二烷及所有主要被辨別出的異構物 / Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified ( $\alpha$ - HBCDD, $\beta$ - HBCDD, $\gamma$ - HBCDD) (CAS No.: 25637-99-4 and 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	mg/kg	參考IEC 62321: 2008方法, 以氣 相層析/質譜儀檢測. / With reference to IEC 62321: 2008 method. Analysis was performed by GC/MS.	5	n.d.	---	---
鄰苯二甲酸二丁酯 / DBP (Dibutyl phthalate) (CAS No.: 84-74-2)	%	參考EN 14372, 以氣相層析/質譜 儀檢測. / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	---	---
鄰苯二甲酸甲苄基丁酯 / BBP (Benzyl butyl phthalate) (CAS No.: 85-68-7)	%	參考EN 14372, 以氣相層析/質譜 儀檢測. / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	---	---

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# 測試報告

# Test Report

號碼(No.) : CE/2014/30622 日期(Date) : 2014/03/14 頁數(Page) : 5 of 22

億光電子工業股份有限公司

EVERLIGHT ELECTRONICS CO., LTD.

新北市樹林區中華路6-8號

NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN



測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result)		
				No.1	No.2	No.3
鄰苯二甲酸二(2-乙基己基)酯 / DEHP (Di-(2-ethylhexyl) phthalate) (CAS No.: 117-81-7)	%	參考EN 14372, 以氣相層析/質譜 儀檢測。 / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	---	---
鄰苯二甲酸二正辛酯 / DNOP (Di-n-octyl phthalate) (CAS No.: 117-84-0)	%	參考EN 14372, 以氣相層析/質譜 儀檢測。 / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	---	---
鄰苯二甲酸二異壬酯 / DINP (Di-isononyl phthalate) (CAS No.: 28553-12-0; 68515-48-0)	%	參考EN 14372, 以氣相層析/質譜 儀檢測。 / With reference to EN 14372. Analysis was performed by GC/MS.	0.01	n.d.	---	---
鄰苯二甲酸二異癸酯 / DIDP (Di-isodecyl phthalate) (CAS No.: 26761-40-0; 68515-49-1)	%	參考EN 14372, 以氣相層析/質譜 儀檢測。 / With reference to EN 14372. Analysis was performed by GC/MS.	0.01	n.d.	---	---
鄰苯二甲酸二異丁酯 / DIBP (Di-isobutyl phthalate) (CAS No.: 84-69-5)	%	參考EN 14372, 以氣相層析/質譜 儀檢測。 / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	---	---
鄰苯二甲酸二己酯 / DNHP (Di-n-hexyl phthalate) (CAS No.: 84-75-3)	%	參考EN 14372, 以氣相層析/質譜 儀檢測。 / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	---	---
鄰苯二甲酸二(2-甲氧基乙基)酯 / DMEP (Bis(2-methoxyethyl) phthalate) (CAS No.: 117-82-8)	%	參考EN 14372, 以氣相層析/質譜 儀檢測。 / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	---	---

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# 測試報告

# Test Report

號碼(No.) : CE/2014/30622 日期(Date) : 2014/03/14 頁數(Page) : 6 of 22

億光電子工業股份有限公司

EVERLIGHT ELECTRONICS CO., LTD.

新北市樹林區中華路6-8號

NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN



測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result)		
				No.1	No.2	No.3
鄰苯二甲酸二戊酯 / DPP (Di-pentyl phthalate) (CAS No.: 131-18-0)	%	參考EN 14372, 以氣相層析/質譜儀檢測. / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	---	---
<b>多溴聯苯總和 / Sum of PBBs</b>	mg/kg	參考IEC 62321: 2008方法, 以氣相層析/質譜儀檢測. / With reference to IEC 62321: 2008 and performed by GC/MS.	-	n.d.	---	---
一溴聯苯 / Monobromobiphenyl	mg/kg		5	n.d.	---	---
二溴聯苯 / Dibromobiphenyl	mg/kg		5	n.d.	---	---
三溴聯苯 / Tribromobiphenyl	mg/kg		5	n.d.	---	---
四溴聯苯 / Tetrabromobiphenyl	mg/kg		5	n.d.	---	---
五溴聯苯 / Pentabromobiphenyl	mg/kg		5	n.d.	---	---
六溴聯苯 / Hexabromobiphenyl	mg/kg		5	n.d.	---	---
七溴聯苯 / Heptabromobiphenyl	mg/kg		5	n.d.	---	---
八溴聯苯 / Octabromobiphenyl	mg/kg		5	n.d.	---	---
九溴聯苯 / Nonabromobiphenyl	mg/kg		5	n.d.	---	---
十溴聯苯 / Decabromobiphenyl	mg/kg		5	n.d.	---	---
<b>多溴聯苯醚總和 / Sum of PBDEs</b>	mg/kg		-	n.d.	---	---
一溴聯苯醚 / Monobromodiphenyl ether	mg/kg		5	n.d.	---	---
二溴聯苯醚 / Dibromodiphenyl ether	mg/kg		5	n.d.	---	---
三溴聯苯醚 / Tribromodiphenyl ether	mg/kg		5	n.d.	---	---
四溴聯苯醚 / Tetrabromodiphenyl ether	mg/kg		5	n.d.	---	---
五溴聯苯醚 / Pentabromodiphenyl ether	mg/kg		5	n.d.	---	---
六溴聯苯醚 / Hexabromodiphenyl ether	mg/kg		5	n.d.	---	---
七溴聯苯醚 / Heptabromodiphenyl ether	mg/kg		5	n.d.	---	---
八溴聯苯醚 / Octabromodiphenyl ether	mg/kg		5	n.d.	---	---
九溴聯苯醚 / Nonabromodiphenyl ether	mg/kg	5	n.d.	---	---	
十溴聯苯醚 / Decabromodiphenyl ether	mg/kg	5	n.d.	---	---	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# 測試報告

# Test Report

號碼(No.) : CE/2014/30622 日期(Date) : 2014/03/14 頁數(Page) : 7 of 22

億光電子工業股份有限公司

EVERLIGHT ELECTRONICS CO., LTD.

新北市樹林區中華路6-8號

NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN



測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result)		
				No.1	No.2	No.3
多環芳香煙 / Polynuclear Aromatic Hydrocarbons (PAHs)						
芴 / Acenaphthene (CAS No.: 83-32-9)	mg/kg	參考ZLS standard ZEK 01.4-08方法, 以氣相層析/質譜儀檢測. / With reference to ZLS standard ZEK 01.4-08 method. Analysis was performed by GC/MS.	0.2	n.d.	---	---
芴烯 / Acenaphthylene (CAS No.: 208-96-8)	mg/kg		0.2	n.d.	---	---
蒽 / Anthracene (CAS No.: 120-12-7)	mg/kg		0.2	n.d.	---	---
苯駢蒽 / Benzo[a]anthracene (CAS No.: 56-55-3)	mg/kg		0.2	n.d.	---	---
苯駢(a)芘 / Benzo[a]pyrene (CAS No.: 50-32-8)	mg/kg		0.2	n.d.	---	---
苯(b)苯駢芴 / Benzo[b]fluoranthene (CAS No.: 205-99-2)	mg/kg		0.2	n.d.	---	---
苯駢芘 / Benzo[g,h,i]perylene (CAS No.: 191-24-2)	mg/kg		0.2	n.d.	---	---
苯(k)苯駢芴 / Benzo[k]fluoranthene (CAS No.: 207-08-9)	mg/kg		0.2	n.d.	---	---
Chrysene (CAS No.: 218-01-9)	mg/kg		0.2	n.d.	---	---
二苯駢蒽 / Dibenzo[a,h]anthracene (CAS No.: 53-70-3)	mg/kg		0.2	n.d.	---	---
苯駢芴 / Fluoranthene (CAS No.: 206-44-0)	mg/kg		0.2	n.d.	---	---
芴 / Fluorene (CAS No.: 86-73-7)	mg/kg		0.2	n.d.	---	---
茚酮芘 / Indeno[1,2,3-c,d] pyrene (CAS No.: 193-39-5)	mg/kg		0.2	n.d.	---	---
萘 / Naphthalene (CAS No.: 91-20-3)	mg/kg		0.2	n.d.	---	---
菲 / Phenanthrene (CAS No.: 85-01-8)	mg/kg		0.2	n.d.	---	---
芘 / Pyrene (CAS No.: 129-00-0)	mg/kg		0.2	n.d.	---	---
苯(j)苯駢芴 / Benzo[j]fluoranthene (CAS No.: 205-82-3)	mg/kg		0.2	n.d.	---	---
苯駢(e)芘 / Benzo[e]pyrene (CAS No.: 192-97-2)	mg/kg		0.2	n.d.	---	---
多環芳香煙18項總和 / Sum of 18 PAHs	mg/kg	-	n.d.	---	---	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# 測試報告

# Test Report

號碼(No.) : CE/2014/30622 日期(Date) : 2014/03/14 頁數(Page) : 8 of 22

億光電子工業股份有限公司

EVERLIGHT ELECTRONICS CO., LTD.

新北市樹林區中華路6-8號

NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN



測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result)		
				No.1	No.2	No.3
鹵素 / Halogen						
鹵素 (氟) / Halogen-Fluorine (F) (CAS No.: 14762-94-8)	mg/kg	參考BS EN 14582:2007, 以離子層析儀分析. / With reference to BS EN 14582:2007. Analysis was performed by IC.	50	n.d.	---	---
鹵素 (氯) / Halogen-Chlorine (Cl) (CAS No.: 22537-15-1)	mg/kg		50	122	---	---
鹵素 (溴) / Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg		50	n.d.	---	---
鹵素 (碘) / Halogen-Iodine (I) (CAS No.: 14362-44-8)	mg/kg		50	n.d.	---	---

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result)
				No.4
鈹 / Beryllium (Be)	mg/kg	參考US EPA 3050B方法, 以感應耦合電漿原子發射光譜儀檢測. / With reference to US EPA Method 3050B. Analysis was performed by ICP-AES.	2	n.d.

### 備註(Note) :

1. mg/kg = ppm ; 0.1wt% = 1000ppm
2. n.d. = Not Detected (未檢出)
3. MDL = Method Detection Limit (方法偵測極限值)
4. "-" = Not Regulated (無規格值)
5. "---" = Not Conducted (未測項目)
6. \*\* = Qualitative analysis (No Unit) 定性分析(無單位)
7. # = a. Positive means the presence of CrVI on the tested areas (Positive表示測試區域偵測到六價鉻)  
b. Negative means the absence of CrVI on the tested areas (Negative表示測試區域未偵測到六價鉻)

The detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm<sup>2</sup> tested areas. / 該溶液濃度 $\geq$ 0.02 mg/kg with 50 cm<sup>2</sup> (tested areas)



# 測試報告

# Test Report

號碼(No.) : CE/2014/30622 日期(Date) : 2014/03/14 頁數(Page) : 9 of 22

億光電子工業股份有限公司

EVERLIGHT ELECTRONICS CO., LTD.

新北市樹林區中華路6-8號

NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN



**PAHs參考資料(Reference information) :**

**依據ZEK 01.4-08之要求：產品中最大值為**

**(Requirement of ZEK 01.4-08 : Restraining maximum values for products)**

項目 (Parameter)	第1類 (Category 1)	第2類 (Category 2)	第3類 (Category 3)
	意圖放入嘴內的材料或與36個月以下的幼兒皮膚有所接觸的玩具。 (Material intended to be put in the mouth or toys for children aged < 36 months with intended skin contact.)	可預見與皮膚接觸逾30秒(長期與皮膚接觸), 以及不屬於第1類的材料。 (Materials not falling under category 1 with foreseeable contact to skin for longer than 30 seconds (long-term skin contact).)	可預見與皮膚接觸短於30秒(短期與皮膚接觸), 以及不屬於第1類或第2類的材料。(Materials not falling under category 1 or 2 with foreseeable contact to skin for less than 30 seconds (short-term skin contact).)
苯駢(a)芘 Benzo[a]pyrene (mg/kg)	<MDL (<0.2)**	1	20
18項PAH總濃度 (Sum of 18 PAH) (mg/kg)*	<MDL (<0.2)**	10	200

**注意(Remark):**

\* = PAH濃度大於0.2mg/kg時, 則須計算PAH總濃度值。

(Only PAH substances >0.2 mg/kg are taken into account while calculating the sum of PAHs.)

\*\* = 最大濃度值超出等級一的限制, 但在等級二的濃度限制值內時, 可能需要確認測試材質是否適用於與食品或與口腔黏膜接觸, 並依照EN 1186 ff. and § 64 LFBG 80.30-1方法, 針對特定PAH的遷移測試進行測試。遷移測試的結論需依照食品規範評估。

(If the limits of category 1 are surpassed but the limits of category 2 still met, the confirmation of suitability of contact with foodstuff or the oral mucosa can be verified by an additional specific migration test of the PAH components according to EN 1186 ff. and § 64 LFBG 80.30-1. The results of the migration test shall be evaluated according to law criteria for foodstuff.)

## 測試報告

## Test Report

號碼(No.) : CE/2014/30622 日期(Date) : 2014/03/14 頁數(Page) : 10 of 22

億光電子工業股份有限公司

EVERLIGHT ELECTRONICS CO., LTD.

新北市樹林區中華路6-8號

NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN



### PFOS參考資訊(Reference Information) : 持久性有機污染物 POPs - (EU) 757/2010

PFOS濃度在物質或製備中不得超過0.001%(10ppm)，在半成品、成品或零部件中不得超過0.1%(1000ppm)，在紡織品或塗層材料中不得超過 $1\mu\text{g}/\text{m}^2$ 。

(Outlawing PFOS as substances or preparations in concentrations above 0.001% (10ppm), in semi-finished products or articles or parts at a level above 0.1%(1000ppm), in textiles or other coated materials above  $1\mu\text{g}/\text{m}^2$ .)

## 測試報告

## Test Report

號碼(No.) : CE/2014/30622 日期(Date) : 2014/03/14 頁數(Page) : 11 of 22

億光電子工業股份有限公司

EVERLIGHT ELECTRONICS CO., LTD.


新北市樹林區中華路6-8號

NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN



測試部位(PART NAME)No.1, 3

- 1) 根據以下的流程圖之條件，樣品已完全溶解。(六價鉻測試方法除外) / These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr<sup>6+</sup> test method excluded)
- 2) 測試人員：楊登偉 / Name of the person who made measurement: Climbgreat Yang
- 3) 測試負責人：張啓興 / Name of the person in charge of measurement: Troy Chang



**Note\*\* (For IEC 62321)**

- (1) 針對非金屬材料加入鹼性消化液，加熱至 90~95°C 萃取。 / For non-metallic material, add alkaline digestion reagent and heat to 90~95°C.
- (2) 針對金屬材料加入純水，加熱至沸騰萃取。 / For metallic material, add pure water and heat to boiling.

## 測試報告

號碼(No.) : CE/2014/30622 日期(Date) : 2014/03/14 頁數(Page) : 12 of 22

## Test Report

億光電子工業股份有限公司

EVERLIGHT ELECTRONICS CO., LTD.

新北市樹林區中華路6-8號

NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN




測試部位(PART NAME)No.2

根據以下的流程圖之條件，樣品之外部鍍層已完全溶解。(六價鉻測試方法除外) / The plating layer of samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr<sup>6+</sup> test method excluded)

- 測試人員：楊登偉 / Name of the person who made measurement: Climbgreat Yang
- 測試負責人：張啓興 / Name of the person in charge of measurement: Troy Chang

### 鍍層重金屬測試流程圖 / Flow Chart of Stripping method for metal analysis



## 測試報告

## Test Report

號碼(No.) : CE/2014/30622 日期(Date) : 2014/03/14 頁數(Page) : 13 of 22

億光電子工業股份有限公司

EVERLIGHT ELECTRONICS CO., LTD.

新北市樹林區中華路6-8號


NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN



- 1) 根據以下的流程圖之條件，樣品已完全溶解。 / These samples were dissolved totally by pre-conditioning method according to below flow chart.
- 2) 測試人員：楊登偉 / Name of the person who made measurement: Climbgreat Yang
- 3) 測試負責人：張啓興 / Name of the person in charge of measurement: Troy Chang

### 元素以 ICP-AES 分析的消化流程圖

(Flow Chart of digestion for the elements analysis performed by ICP-AES)



鋼, 銅, 鋁, 焊錫 / Steel, copper, aluminum, solder	王水, 硝酸, 鹽酸, 氫氟酸, 雙氧水 / Aqua regia, HNO <sub>3</sub> , HCl, HF, H <sub>2</sub> O <sub>2</sub>
玻璃 / Glass	硝酸, 氫氟酸 / HNO <sub>3</sub> /HF
金, 鉑, 鈀, 陶瓷 / Gold, platinum, palladium, ceramic	王水 / Aqua regia
銀 / Silver	硝酸 / HNO <sub>3</sub>
塑膠 / Plastic	硫酸, 雙氧水, 硝酸, 鹽酸 / H <sub>2</sub> SO <sub>4</sub> , H <sub>2</sub> O <sub>2</sub> , HNO <sub>3</sub> , HCl
其他 / Others	加入適當的試劑至完全溶解 / Added appropriate reagent to total digestion

## 測試報告

## Test Report

號碼(No.) : CE/2014/30622 日期(Date) : 2014/03/14 頁數(Page) : 14 of 22

億光電子工業股份有限公司

EVERLIGHT ELECTRONICS CO., LTD.


新北市樹林區中華路6-8號

NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN



### 全氟辛酸/全氟辛烷磺酸分析流程圖 / PFOA/PFOS analytical flow chart

- 測試人員：翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人：張啓興 / Name of the person in charge of measurement: Troy Chang



## 測試報告

## Test Report

號碼(No.) : CE/2014/30622 日期(Date) : 2014/03/14 頁數(Page) : 15 of 22

億光電子工業股份有限公司

EVERLIGHT ELECTRONICS CO., LTD.


新北市樹林區中華路6-8號

NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN



### 六溴環十二烷分析流程圖 / HBCDD analytical flow chart

- 測試人員：翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人：張啓興 / Name of the person in charge of measurement: Troy Chang



## 測試報告

## Test Report

號碼(No.) : CE/2014/30622 日期(Date) : 2014/03/14 頁數(Page) : 16 of 22

億光電子工業股份有限公司

EVERLIGHT ELECTRONICS CO., LTD.


新北市樹林區中華路6-8號

NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN



### 可塑劑分析流程圖 / Analytical flow chart of phthalate content

- 測試人員：翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人：張啓興 / Name of the person in charge of measurement: Troy Chang





## 測試報告

## Test Report

號碼(No.) : CE/2014/30622 日期(Date) : 2014/03/14 頁數(Page) : 17 of 22

億光電子工業股份有限公司

EVERLIGHT ELECTRONICS CO., LTD.

新北市樹林區中華路6-8號

NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN




### 多溴聯苯/多溴聯苯醚分析流程圖 / PBB/PBDE analytical FLOW CHART

- 測試人員：翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人：張啓興 / Name of the person in charge of measurement: Troy Chang

初次測試程序 / First testing process —————>

選擇性篩檢程序 / Optional screen process .....>

確認程序 / Confirmation process - - - >



## 測試報告

## Test Report

號碼(No.) : CE/2014/30622 日期(Date) : 2014/03/14 頁數(Page) : 18 of 22

億光電子工業股份有限公司

EVERLIGHT ELECTRONICS CO., LTD.


新北市樹林區中華路6-8號

NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN



### 多環芳香烴分析流程圖 / PAHs (Polynuclear Aromatic Hydrocarbons) analytical flow chart

- 測試人員：翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人：張啓興 / Name of the person in charge of measurement: Troy Chang



## 測試報告

## Test Report


號碼(No.) : CE/2014/30622 日期(Date) : 2014/03/14 頁數(Page) : 19 of 22

億光電子工業股份有限公司  
EVERLIGHT ELECTRONICS CO., LTD.  
新北市樹林區中華路6-8號  
NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN



### 鹵素分析流程圖 / Analytical flow chart of halogen content

- 測試人員：陳恩臻 / Name of the person who made measurement: Rita Chen
- 測試負責人：張啓興 / Name of the person in charge of measurement: Troy Chang



## 測試報告

## Test Report

號碼(No.) : CE/2014/30622 日期(Date) : 2014/03/14 頁數(Page) : 20 of 22

億光電子工業股份有限公司

EVERLIGHT ELECTRONICS CO., LTD.

新北市樹林區中華路6-8號


NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN




\* 照片中如有箭頭標示，則表示為實際檢測之樣品/部位。\*

(The tested sample / part is marked by an arrow if it's shown on the photo.)

### CE/2014/30622



### CE/2014/30622 NO.1



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

## 測試報告


## Test Report

號碼(No.) : CE/2014/30622 日期(Date) : 2014/03/14 頁數(Page) : 21 of 22


億光電子工業股份有限公司  
EVERLIGHT ELECTRONICS CO., LTD.  
新北市樹林區中華路6-8號  
NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN



### CE/2014/30622 NO.2



### CE/2014/30622 NO.3



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

## 測試報告

## Test Report

號碼(No.) : CE/2014/30622 日期(Date) : 2014/03/14 頁數(Page) : 22 of 22

億光電子工業股份有限公司


EVERLIGHT ELECTRONICS CO., LTD.

新北市樹林區中華路6-8號

NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN



### CE/2014/30622 NO.4



\*\* 報告結尾 (End of Report) \*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.